

IN THE CLAIMS

~~Add~~ the following new claims

28. A computer-implemented method for multi-level memory domain protection, comprising:

establishing a user process context for a user code;
establishing a domain process context for a domain code; and
protecting the domain code, executing at a protection level, from the user code, executing at the protection level, by context switching between the user process context and the domain process context,

wherein the user context process has a non-executable reserve portion in which the domain code is located.

29. A system for multi-level memory domain protection comprising:

a user process context for a user code;
a domain process context for a domain code; and
a protection that protects the domain code, executing at a protection level, from the user code, executing at the protection level, by context switching between the user process context and the domain process context,

wherein the user context process has a non-executable reserve portion in which the domain code is located.

30. A computer-readable medium embodying computer-readable program code for causing a computer to perform multi-level memory domain protection by performing the process of:

establishing a user process context for a user code;
establishing a domain process context for a domain code; and
protecting the domain code, executing at a protection level, from the user code, executing at the protection level, by context switching between the user process context and the domain process context, wherein the user context process has a non-executable reserve portion in which the domain code is located.

31. A computer-implemented method for multi-level memory domain protection, comprising:

protecting a domain code, executing at a protection level, from a user code, executing at the protection level, by context switching to establish two levels of protection within said protection level.

32. A computer-implemented method for multi-level memory domain protection, comprising:

executing calling-code in a first process pair calling for execution of targeted code in a second process pair; and

inter-group context switching from the first process pair to the second process pair, wherein the inter-group context switching establishes two levels of protection within said protection level.

Al
mild.

[illegible]

protecting a domain code executing at a protection level, from a user code, executing at the protection level, by context switching to establish two levels of protection within said protection level.

a protection that protects a domain code, executing at a protection level, from a user code, executing at the protection level, formed by context switching to establish two levels of protection within said protection level.

CONCLUSION

The Applicant submits that the added claims, 28-35, recite the subject matter that placed the claims of the parent application in condition for allowance when added to the independent claims therein. The subject matter of the added claims is absent from the prior art of record. Claims 1-27 are allowable for the reasons explained in Applicant's arguments in the parent application. Therefore this application is in condition for allowance, and the Examiner is respectfully requested to allow this application. The Examiner is invited to contact the undersigned should there be any questions regarding this case.

Respectfully submitted,
Rajeev Bharadhwaj

Date: Nov. 13, 2001

By: David Lewis
David Lewis, Reg. No. 33,101
Carr & Ferrell, LLP
2225 East Bayshore Road, Suite 200
Palo Alto, CA 94303
TEL: (650) 812-3412
FAX: (650) 812-3444

0992736.1101
F0E7T"9E2660